

# FortiGate FortiWiFi 40F Series

FG-40F, FG-40F-3G4G, FWF-40F, FWF-40F-3G4G



#### **Highlights**

#### **Gartner Magic Quadrant**

**Leader** for both Network Firewalls and SD-WAN.

#### Security-Driven

**Networking** with FortiOS delivers converged networking and security.

#### **Unparalleled Performance**

with Fortinet's patented SoC processors.

#### **Enterprise Security**

with consolidated AI / ML-powered FortiGuard Services.

#### **Simplified Operations**

with centralized management for networking and security, automation, deep analytics, and self-healing.

### **Converged Next-Generation Firewall (NGFW) and SD-WAN**

The FortiGate Next-Generation Firewall 40F series is ideal for building security-driven networks at distributed enterprise sites and transforming WAN architecture at any scale.

With a rich set of Al/ML-based FortiGuard security services and our integrated Security Fabric platform, the FortiGate FortiWiFi 40F series delivers coordinated, automated, end-to-end threat protection across all use cases.

FortiGate has the industry's first integrated SD-WAN and zero-trust network access (ZTNA) enforcement within an NGFW solution and is powered by one OS. FortiGate 40F automatically controls, verifies, and facilitates user access to applications, delivering consistency with a seamless and optimized user experience.

IPS	NGFW	Threat Protection	Interfaces
1 Gbps	800 Mbps	600 Mbps	Multiple GE RJ45   WiFi variants



Available in



**Appliance** 



Virtual



Hosted



Cloud



Container

#### **FortiOS Everywhere**

#### FortiOS, Fortinet's Advanced Operating System

FortiOS enables the convergence of high performing networking and security across the Fortinet Security Fabric. Because it can be deployed anywhere, it delivers consistent and context-aware security posture across network, endpoint, and multi-cloud environments.

FortiOS powers all FortiGate deployments whether a physical or virtual device, as a container, or as a cloud service. This universal deployment model enables the consolidation of many technologies and use cases into organically built best-of-breed capabilities, unified operating system, and ultra-scalability. The solution allows organizations to protect all edges, simplify operations, and run their business without compromising performance or protection.

FortiOS dramatically expands the Fortinet Security Fabric's ability to deliver advanced AI/ML-powered services, inline advanced sandbox detection, integrated ZTNA enforcement, and more. It provides protection across hybrid deployment models for hardware, software, and Software-as-a-Service with SASE.

FortiOS expands visibility and control, ensures the consistent deployment and enforcement of a simplified, single policy and management framework. Its security policies enable centralized management across large-scale networks with the following key attributes:

- Interactive drill-down and topology viewers that display real-time status
- On-click remediation that provides accurate and quick protection against threats and abuses
- Unique threat score system correlates weighted threats with users to prioritize investigations



Intuitive easy to use view into the network and endpoint vulnerabilities



Visibility with FOS Application Signatures

#### **FortiConverter Service**

FortiConverter Service provides hassle-free migration to help organizations transition from a wide range of legacy firewalls to FortiGate Next-Generation Firewalls quickly and easily. The service eliminates errors and redundancy by employing best practices with advanced methodologies and automated processes. Organizations can accelerate their network protection with the latest FortiOS technology.





#### **FortiGuard Services**

#### **Network and File Security**

Services provide protection against network-based and file-based threats. This consists of Intrusion Prevention (IPS) which uses AI/M models to perform deep packet/SSL inspection to detect and stop malicious content, and apply virtual patching when a new vulnerability is discovered. It also includes Anti-Malware for defense against known and unknown file-based threats. Anti-malware services span both antivirus and file sandboxing to provide multi-layered protection and are enhanced in real-time with threat intelligence from FortiGuard Labs. Application Control enhances security compliance and offers real-time application visibility.

#### Web / DNS Security

Services provide protection against web-based threats including DNS-based threats, malicious URLs (including even in emails), and botnet/command and control communications. DNS filtering provides full visibility into DNS traffic while blocking high-risk domains, and protects against DNS tunneling, DNS infiltration, C2 server ID and Domain Generation Algorithms (DGA). URL filtering leverages a database of 300M+ URLs to identify and block links to malicious sites and payloads. IP Reputation and anti-botnet services prevent botnet communications, and block DDoS attacks from known sources.

#### SaaS and Data Security

Services address numerous security use cases across application usage as well as overall data security. This consists of Data Leak Prevention (DLP) which ensures data visibility, management and protection (including blocking exfiltration) across networks, clouds, and users, while simplifying compliance and privacy implementations. Separately, our Inline Cloud Access Security Broker (CASB) service protects data in motion, at rest, and in the cloud. The service enforces major compliance standards and manages account, user and cloud application usage. Services also include capabilities designed to continually assess your infrastructure, validate that configurations are working effectively and secure, and generate awareness of risks and vulnerabilities that could impact business operations. This includes coverage across IoT devices for both IoT detection and IoT vulnerability correlation.

#### **Zero-Day Threat Prevention**

Zero-day threat prevention entails Fortinet's Al-based inline malware prevention, our most advanced sandbox service, to analyze and block unknown files in real-time, offering subsecond protection against zero-day and sophisticated threats across all NGFWs. The service also has a built-in MITRE ATT&CK® matrix to accelerate investigations. The service focuses on comprehensive defense by blocking unknown threats while streamlining incident response efforts and reducing security overhead.

#### **OT Security**

The service provides OT detection, OT vulnerability correlation, virtual patching, OT signatures, and industry-specific protocol decoders for overall robust defense of OT environments and devices.





#### **Secure Any Edge at Any Scale**

#### Powered by Security Processing Unit (SPU)

Traditional firewalls cannot protect against today's content- and connection-based threats because they rely on off-the-shelf hardware and general-purpose CPUs, causing a dangerous performance gap. Fortinet's custom SPU processors deliver the power you need—up to 520Gbps—to detect emerging threats and block malicious content while ensuring your network security solution does not become a performance bottleneck.

#### **ASIC Advantage**



#### Secure SD-WAN ASIC SOC4

- Combines a RISC-based CPU with Fortinet's proprietary Security Processing Unit (SPU) content and network processors for unmatched performance
- Delivers industry's fastest application identification and steering for efficient business operations
- Accelerates IPsec VPN performance for best user experience on direct internet access
- Enables best of breed NGFW Security and Deep SSL Inspection with high performance
- Extends security to access layer to enable SD-Branch transformation with accelerated and integrated switch and access point connectivity





Intuitive view and clear insights into network security posture with FortiManager

## **Centralized Network and Security Management at Scale**

FortiManager, the centralized management solution from Fortinet, enables integrated management of the Fortinet security fabric, including devices like FortiGate, FortiSwitch, and FortiAP. It simplifies and automates the oversight of network and security functions across diverse environments, serving as the fundamental component for deploying Hybrid Mesh Firewalls.



#### **Use Cases**



#### **Next Generation Firewall (NGFW)**

- FortiGuard Labs' suite of Al-powered Security Services—natively integrated with your NGFW—secures web, content, and devices and protects networks from ransomware and sophisticated cyberattacks
- Real-time SSL inspection (including TLS 1.3) provides full visibility into users, devices, and applications across the attack surface
- Fortinet's patented SPU (Security Processing Unit) technology provides industry-leading high-performance protection




#### **Secure SD-WAN**

- FortiGate WAN Edge powered by one OS and unified security and management framework and systems transforms and secures WANs
- Delivers superior quality of experience and effective security posture for work-from-any where models, SD-Branch, and cloud-first WAN use cases
- Achieve operational efficiencies at any scale through automation, deep analytics, and self-healing



#### **Universal ZTNA**

- Control access to applications no matter where the user is and no matter where the application is hosted for universal application of access policies
- Provide extensive authentications, checks, and enforce policy prior to granting application access every time
- Agent-based access with FortiClient or agentless access via proxy portal for guest or BYOD






#### **Hardware**

#### FortiGate FortiWifi 40F Series





#### FortiGate FortiWifi 40F-3G4G





#### Interfaces

- 1. 1 x USB Port
- 2. 1 x Console Port
- 3. 1 x GE RJ45 WAN Port
- 4. 1 x GE RJ45 FortiLink Port
- 5. 3 x GE RJ45 Ethernet Ports

#### **Hardware Features**



#### Interfaces

- 1. 1 x USB Port
- 2. 1 x Console Port
- 3. 1 x GE RJ45 WAN Port
- 4. 1 x GE RJ45 FortiLink Port
- 5. 3 x GE RJ45 Ethernet Ports

#### **Hardware Features**



#### **Compact and Reliable Form Factor**

Designed for small environments, you can place it on a desktop or wall-mount it. It is small, lightweight, yet highly reliable with a superior MTBF (Mean Time Between Failure), minimizing the chance of a network disruption.

#### **Access Layer Security**

FortiLink protocol enables you to converge security and the network access by integrating the FortiSwitch into the FortiGate as a logical extension of the NGFW. These FortiLink enabled ports can be reconfigured as regular ports as needed.



## **Specifications**

	FORTIGATE 40F	FORTIWIFI 40F	FORTIGATE 40F-3G4G	FORTIWIFI 40F-3G4G
Interfaces and Modules				
Hardware Accelerated GE RJ45 WAN / DMZ Ports	1	1	1	1
Hardware Accelerated GE RJ45 Internal Ports	3	3	3	3
Hardware Accelerated GE RJ45 FortiLink Ports (Default)	1	1	1	1
Hardware Accelerated GE RJ45 PoE/+ Ports	0	0	0	0
Cellular Modem	-	-	3G4G LTE	3G4G LTE
Wireless Interface	0	Single Radio (2.4GHz/5GHz) 802.11 /a/b/g/n/ac-W2	0	Single Radio (2.4GHz/5GHz), 802.11 a/b/g/n/ac-W2
Antenna Ports (SMA)	0	3	3	6
USB Ports	1	1	1	1
Console Port (RJ45)	1	1	1	1
SIM Slots (Nano SIM)	0	0	2	2
Onboard Storage	0	0	0	0
Included Transceivers	0	0	0	0
System Performance — Enterprise Traffic Mix				
IPS Throughput <sup>2</sup>		10	Bbps	
NGFW Throughput 2,4	800 Mbps			
Threat Protection Throughput 2,5	600 Mbps			
System Performance and Capacity				
<b>v4 Firewall Throughput (1518 / 512 / 64 byte, UDP)</b> 5 / 5 / 5 Gbps				
Firewall Latency (64 byte, UDP)	2.97 µs			
Firewall Throughput (Packet per Second)	7.5 Mpps			
Concurrent Sessions (TCP)	700 000			
New Sessions/Second (TCP)	35 000			
Firewall Policies	5000			
Psec VPN Throughput (512 byte) 1	4.4 Gbps			
Gateway-to-Gateway IPsec VPN Tunnels	200			
Client-to-Gateway IPsec VPN Tunnels	t-to-Gateway IPsec VPN Tunnels 250			
SSL-VPN Throughput		490	Mbps	
Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)		2	200	
SSL Inspection Throughput (IPS, avg. HTTPS) <sup>3</sup>		310	Mbps	
SSL Inspection CPS (IPS, avg. HTTPS) <sup>3</sup>	320			
SSL Inspection Concurrent Session (IPS, avg. HTTPS) <sup>3</sup>	55 000			
Application Control Throughput (HTTP 64K) <sup>2</sup>	990 Mbps			
CAPWAP Throughput (HTTP 64K)	3.5 Gbps			
Virtual Domains (Default / Maximum)	10 / 10			
Maximum Number of FortiSwitches Supported	8			
Maximum Number of FortiAPs (Total / Tunnel)	Number of FortiAPs (Total / Tunnel) 16 / 8			
Maximum Number of FortiTokens	m Number of FortiTokens 500			
High Availability Configurations	Active-Active, Active-Passive, Clustering			

Note: All performance values are "up to" and vary depending on system configuration.



<sup>&</sup>lt;sup>1</sup> IPsec VPN performance test uses AES256-SHA256.

 $<sup>^{\</sup>rm 2}$  IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.

<sup>&</sup>lt;sup>3</sup> SSL Inspection performance values use an average of HTTPS sessions of different cipher suites

 $<sup>^{\</sup>rm 4}$  NGFW performance is measured with Firewall, IPS and Application Control enabled.

<sup>5</sup> Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.

## **Specifications**

	FORTIGATE 40F	FORTIWIFI 40F	FORTIGATE 40F-3G4G	FORTIWIFI 40F-3G4G	
Dimensions and Power					
Height x Width x Length (inches)	1.5 × 8	3.5 × 6.3	1.6 × 8.	5 × 6.3	
Height x Width x Length (mm)	38.5 × 2	216 × 160	40.5 × 216 × 160		
Weight	2.2 lb	s (1 kg)	2.2 lbs (1 kg)		
Form Factor (supports EIA/non-EIA standards)	Desktop		Desktop		
Input Rating	12Vdc, 3A 12Vdc, 3A			c, 3A	
Power Required	Powered by External DC Power Adapter, 100–240V AC, 50/60 Hz		Powered by external DC power adapter 100-240V AC, 50/60 Hz		
Current (Maximum)	100V AC / 0.2A	, 240V AC / 0.1A	100V AC / 0.3A, 240V AC / 0.2A		
Power Consumption (Average / Maximum)	7.74 W / 9.46 W	14.6 W / 16.6 W	15.8 W / 18.6 W	18.6 W / 19.8 W	
Heat Dissipation	52.55 BTU/h	56.64 BTU/h	63.5 BTU/h	67.6 BTU/h	
Operating Environment and Certifications					
Operating Temperature		32°F to 104°F	(0°C to 40°C)		
Storage Temperature		-31°F to 158°F	(-35°C to 70°C)		
Humidity	10% to 90% non-condensing				
Noise Level	Fanless 0 dBA				
Operating Altitude	Up to 7400 ft (2250 m)				
Compliance	FCC, ICES, CE, RCM, VCCI, BSMI, UL/cUL, CB				
Certifications	USGv6/IPv6				
Radio Specifications					
Multiple (MU) MIMO	N/A	3 × 3	N/A	3 × 3	
Maximum Wi-Fi Speeds	N/A	1300 Mbps @ 5 GHz, 450 Mbps @ 2.4 GHz	N/A	1300 Mbps @ 5 GHz, 450 Mbps @ 2.4 GHz	
Maximum Tx Power	N/A	20 dBm	N/A	20 dBm	
Antenna Gain	N/A	3.5 dBi @ 5GHz, 5 dBi @ 2.4 GHz	N/A	3.5 dBi @ 5GHz, 5 dBi @ 2.4 GHz	
Regional Compatibility					
Regions	N	I/A	All Re	gions	
Modem Model	N/A		Sierra Wireless EM7565 (2 SIM Slots, Active/Passive)		
LTE Category	N/A		CAT-12		
LTE Bands	N/A B1, B2, B3, B4, B5, B7, B8, B9, B12, B13, B18, B19, B20, B26, B28, B30, B32, B41, B42, B43, B46, B48, B66				
UMTS/HSPA+	N/A		B1, B2, B4, B5, B6, B8, B9, B19		
WCDMA	N/A		-		
CDMA 1xRTT/EV-DO Rev A	N	I/A		-	
GSM/GPRS/EDGE	N/A		-		
Module Certifications	N/A		FCC, ICES, CE, RCM, VCCI, BSMI, UL/cUL, CB		
Diversity	N/A		Yes		
МІМО	N	I/A	Ye	es	
GNSS Bias		I/A	Ye	es	



## **Subscriptions**

FortiGuard Security Services A	Service Offering PS Service Anti-Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service URL, DNS & Video Filtering Service	A-la-carte  •	Enterprise Protection •	Unified Threat Protection	Advanced Threat Protection	
Services A	Anti-Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service URL, DNS & Video Filtering Service	•	•	•		
Services A C	CDR, Virus Outbreak Protection and FortiSandbox Cloud Service URL, DNS & Video Filtering Service	•	•		•	
	•			•	•	
A		•	•	•		
	Anti-Spam		•	•		
A	Al-based Inline Malware Prevention Service	•	•			
D	Data Loss Prevention Service <sup>1</sup>	•	•			
	OT Security Service (OT Detection, OT Vulnerability correlation, Virtual Patching, OT Signature / Protocol Decoders)	•				
A	Application Control		included with FortiCare Subscription			
С	CASB SaaS Control		included with FortiCare Subscription			
SD-WAN and SASE SI Services	SD-WAN Underlay Bandwidth and Quality Monitoring Service	•				
SI	SD-WAN Overlay-as-a-Service for SaaS-based overlay network provisioning	•				
S	SD-WAN Connector for FortiSASE Secure Private Access	•				
	FortiSASE subscription including cloud management and 10Mbps bandwidth license $^{\mathrm{2}}$	•				
	FortiGuard Attack Surface Security Service (IoT Detection, IoT Vulnerability Correlation, and Security Rating Updates) 1	•	•			
Fo	FortiConverter Service	•	•			
M	Managed FortiGate Service	•				
Fo	FortiGate Cloud (SMB Logging + Cloud Management)	•				
Fo	FortiManager Cloud	•				
Fo	FortiAnalyzer Cloud	•				
Fo	FortiAnalyzer Cloud with SOCaaS	•				
Fo	FortiGuard SOCaaS	•				
	FortiCare Essentials <sup>2</sup>	•				
Software Support Fo	FortiCare Premium	•	•	•	•	
Fe	FortiCare Elite	•				
Base Services In	nternet Service (SaaS) DB Updates					
G	GeoIP DB Updates		included with For	tiCara Subsariation		
D	Device/OS Detection Signatures		included with For			
	Trusted Certificate DB Updates					
	DDNS (v4/v6) Service					

<sup>1.</sup> Full features available when running FortiOS 7.4.1  $\,$ 

<sup>2.</sup> Desktop Models only



#### **FortiGuard Bundles**

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.



#### **FortiCare Services**

Fortinet prioritizes customer success through FortiCare Services, optimizing the Fortinet Security Fabric solution. Our comprehensive lifecycle services include Design, Deploy, Operate, Optimize, and Evolve. The FortiCare Elite, one of the service variants, offers heightened SLAs and swift issue resolution with a dedicated support team. This advanced support option includes an Extended End-of-Engineering-Support of 18 months, providing flexibility. Access the intuitive FortiCare Elite Portal for a unified view of device and security health, streamlining operational efficiency and maximizing Fortinet deployment performance.



## **Ordering Information**


Product	SKU	Description
FortiGate 40F	FG-40F	5 x GE RJ45 ports (including 4 x Internal Ports, 1 x WAN Ports).
FortiWiFi 40F	FWF-40F-[RC]	5 x GE RJ45 ports (including 4 x Internal Ports, 1 x WAN Ports), Wireless (802.11a/b/g/n/ac-W2).
FortiGate 40F-3G4G	FG-40F-3G4G	5 x GE RJ45 ports (Including 1 x WAN port, 4 x Switch ports) with Embedded 3G/4G/LTE wireless wan module, external SMA WWAN antennas included.
FortiWiFi 40F-3G4G	FWF-40F-3G4G-[RC]	5 x GE RJ45 ports (Including 1 x WAN port, 4 x Switch ports) with Embedded 3G/4G/LTE wireless wan module, Wireless (802.11a/b/g/n/ac-W2), external SMA WWAN and wireless antennas included.
Optional Accessories		
Rack Mount Tray	SP-RACKTRAY-02	Rack mount tray for all FortiGate E series and F series desktop models are backwards compatible with SP-RackTray-01. For list of compatible FortiGate products, visit our Documentation website, docs.fortinet.com
AC Power Adaptor	SP-FG-40F-PA-10(-XX)	Pack of 10 AC power adaptors for FG/FWF-40F, come with interchangeable power plugs. (XX=various countries code).
Wall Mount Kits	SP-FG60F-MOUNT-20	Pack of 20 wall mount kits for FG/FWF-40F series, FG/FWF-60F series, FG-80F, FG-81F and FG-80F-Bypass.

[RC] = regional code: A, B, D, E, F, I, J, N, P, S, V, and Y



#### **Fortinet CSR Policy**

Fortinet is committed to driving progress and sustainability for all through cybersecurity, with respect for human rights and ethical business practices, making possible a digital world you can always trust. You represent and warrant to Fortinet that you will not use Fortinet's products and services to engage in, or support in any way, violations or abuses of human rights, including those involving illegal censorship, surveillance, detention, or excessive use of force. Users of Fortinet products are required to comply with the Fortinet EULA and report any suspected violations of the EULA via the procedures outlined in the Fortinet Whistleblower Policy.





www.fortinet.com

Copyright © 2024 Fortinet, Inc. All rights reserved. Fortinet\*, FortiGate\*, FortiCare\* and FortiGard\*, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet, and Fortinetials, whether express or implied, except to the extent Fortinet enteries a binding written contract, sipand by Fortinetia Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinets internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.